






















Price List For 3WT

Sr. no.	Diagram	Description	RATING		SPIRIDON NO.	MLFB	APPLICABLE FOR							
			V AC	V DC			SIZE I				SIZE II			
							630A	800A	1000A	1250A	1600A	2000A	2500A	3200A
8		Auxilliary switches 2CO			100923866	3WT98161CE00	✓	✓	✓	✓	✓	✓	✓	✓
9		Door Sealingframe	Upto 3200A		100705611	\3WX36860JA00	✓	✓	✓	✓	✓	✓	✓	✓
10		CASTELLOCK	Mounting kit (without lock)		101007807	3WT98663JE00	✓	✓	✓	✓	✓	✓	✓	✓
			Castell Lock key Type A		100705512	\3WX3663-6JELA	✓	✓	✓	✓	✓	✓	✓	✓
			Castell Lock key Type B		100705532	\3WX3663-6JELB	✓	✓	✓	✓	✓	✓	✓	✓
			Castell Lock key Type C		100705538	\3WX3663-6JELC	✓	✓	✓	✓	✓	✓	✓	✓
			Castell Lock key Type D		100705543	\3WX3663-6JELD	✓	✓	✓	✓	✓	✓	✓	✓
			Castell Lock key Type AB		100705496	\3WX3663-6JEAB	✓	✓	✓	✓	✓	✓	✓	✓
11		Mechanical Interlock kit for interlocking 2 breakers (1 Interlocking module + 2m Bowden wire)	Fixed breaker		100881535	3WT98663JA00	✓	✓	✓	✓	✓	✓	✓	✓
			Drawout CB's		100639678	3WT98664JA00	✓	✓	✓	✓	✓	✓	✓	✓
			2meter wire		101046870	3WT98668JA00	✓	✓	✓	✓	✓	✓	✓	✓
12		For interlocking 3 ACB's additional bowden wire required for each ACB.	3 meter wire		101081195	3WT98668JA01	✓	✓	✓	✓	✓	✓	✓	✓
			4 meter wire		101136781	3WT98668JA02	✓	✓	✓	✓	✓	✓	✓	✓
			5 meter wire		101136781	3WT98668JA02	✓	✓	✓	✓	✓	✓	✓	✓
13		5 Digit operating COUNTER	upto 3200A		100908001	3WT98640CA00	✓	✓	✓	✓	✓	✓	✓	
14		Crank Handle	Drawout CBs		100945049	3WT98840JA00	✓	✓	✓	✓	✓	✓	✓	

Sr. no.	Diagram	Description	RATING		SPIRIDON NO.	MLFB	APPLICABLE FOR							
			V AC	V DC			SIZE I				SIZE II			
							630A	800A	1000A	1250A	1600A	2000A	2500A	3200A
15		Locking device against unauthorised closing with safety lock (CES make) (instead of OFF push button)			101139929	3WT98631JA00	✓	✓	✓	✓	✓	✓	✓	✓
16		ETU	ETU 2WT		100922833	3WT98410JB00	✓	✓	✓	✓	✓	✓	✓	✓
			ETU 5WT		100922835	3WT98411JD00	✓	✓	✓	✓	✓	✓	✓	✓
			ETU 8WT		100922834	3WT98410JC00	✓	✓	✓	✓	✓	✓	✓	✓
			ETU35WT		102288050	3WT98414AA00	✓	✓	✓	✓	✓	✓	✓	✓
			ETU37WT		102288052	3WT98415AB00	✓	✓	✓	✓	✓	✓	✓	✓
			ETU45WT		102288058	3WT98416AC00	✓	✓	✓	✓	✓	✓	✓	✓
17		New version ETU	ETU47WT		102288060	3WT98417AD00	✓	✓	✓	✓	✓	✓	✓	
18		FRONT FACIA SHUTTER FOR D/O BREAKER			101594666		✓	✓	✓	✓	✓	✓	✓	
19		AUXILLIARY WIRES FOR FIXING AUX CONTACTS with Gold plated terminals			101470869		✓	✓	✓	✓	✓	✓	✓	
20		PUSH BUTTON COVER (TRANSPERENT)			100950068	3WT98631JK00	✓	✓	✓	✓	✓	✓	✓	
21		PUSH BUTTONON			101705637		✓	✓	✓	✓	✓	✓	✓	
22		PUSH BUTTONOFF			101705740		✓	✓	✓	✓	✓	✓	✓	
23		FRONT FACIA	Draw-out ACB's		100971261	3WT98770BA00	✓	✓	✓	✓	✓	✓	✓	
			Fixed ACB's		100973194	3WT98770CA00	✓	✓	✓	✓	✓	✓	✓	

Sr. no.	Diagram	Description	RATING		SPIRIDON NO.	MLFB	APPLICABLE FOR							
			V AC	V DC			SIZE I				SIZE II			
							630A	800A	1000A	1250A	1600A	2000A	2500A	3200A
29		SAFETY SHUTTERS FOR GUIDE FRAMES/ CHASIS	630A/800A/1000A/1250A 1600A	3 pole size I	100837662	3WT98843CA00	✓	✓	✓	✓	✓			
			2000A/2500A/3200A	3 pole size II	100945048	3WT98843DA00						✓	✓	✓
			630A/800A/1000A/1250A 1600A	4 pole size I	100838132	3WT98843CB00	✓	✓	✓	✓	✓			
			2000A/2500A/3200A	4 pole size II	100975803	3WT98843DB00						✓	✓	✓
30		Rear Vertical connection for guide frame/ chassis	630A/800A/1000A/1250A 1600A	1 piece size	102139623	3WT98233AA00	✓	✓	✓	✓				
			1600A	1 piece size	upon inquiry	3WT98233BA00					✓			
			2000/2500A 3Pole	3 Pieces	upon inquiry	3WT98234AB00						✓	✓	
			2000/2500A 4Pole	4 Pieces	upon inquiry	3WT98234AC00						✓	✓	
			3200A 3Pole	3 Pieces	upon inquiry	3WT98234BB00							✓	
			3200A 4Pole	4 Pieces	upon inquiry	3WT98234BC00							✓	
31		Main pole contact set for 3 pole & 4 pole (1FIXED+ 1MOVING)	630A/800A/1000A/ 1250A	size I	100922829	3WT98210AA10	✓	✓	✓	✓				
			1600A	size I	100922830	3WT98210BA00						✓		
			2000/2500A	size II	100922831	3WT98210DA00						✓	✓	
			3200A	size II	100922832	3WT98210FA00							✓	
32		Internal Current transformers for main pole 3 pole & 4 pole breaker	630A		101137369	3WT98422CD00	✓							
			800A		101137371	3WT98422CE00		✓						
			1000A		101137374	3WT98422CF00			✓					
			1250A		101137377	3WT98422CG00				✓				
			1600A		101137379	3WT98422CH00					✓			
			2000A		101137381	3WT98422FJ00						✓		
			2500A		101137384	3WT98422FK00							✓	
			3200A		101137386	3WT98422FM00							✓	
33		Internal Current transformers for main pole & N pole FOR NEW VERSION 3WT ACB	Upto 1600A	size I	102218941	3WT98431RE00	✓	✓	✓	✓	✓			
			Upto 3200A	size II	102218850	3WT98432RE00						✓	✓	✓

Sr. no.	Diagram	Description	RATING		SPIRIDON NO.	MLFB	APPLICABLEFOR								
			V AC	V DC			SIZE I				SIZE II				
							630A	800A	1000A	1250A	1600A	2000A	2500A	3200A	
34		External Current Transformer for N - conductor for 3 Pole & 4 Pole circuit breakers	630A		100810448	3WT98431CD00	✓								
			800A		100842895	3WT98431CE00		✓							
			1000A		100837921	3WT98431CF00			✓						
			1250A		100810452	3WT98431CG00				✓					
			1600A		100639857	3WT98431CH00					✓				
			2000A		100639860	3WT98431FJ00						✓			
			2500A		100810599	3WT98431FK00							✓		
			3200A		100810714	3WT98431FM00								✓	
35		External Current Transformer for N - conductor FOR NEW VERSION 3WT ACB	Upto 1600A	size I	100082688	3WL91110AA210AA0	✓	✓	✓	✓	✓				
			Upto 3200A	size II	100188469	3WL91110AA220AA0						✓	✓	✓	
36		External Current Transformer for N - conductor with copper connectors FOR NEW VERSION 3WT ACB	Upto 1600A	size I	100197875	3WL91110AA310AA0	✓	✓	✓	✓	✓				
			Upto 3200A	size II	100197876	3WL91110AA320AA0						✓	✓	✓	
37		Conversion Kit (Draw out / Racking mechanism)	For 3 Pole	Size I	100907976	3WT98880GA00	✓	✓	✓	✓	✓				
				Size II	100907990	3WT98880KA00				✓	✓	✓			
			For 4 Pole	Size I	100907981	3WT98880HA00	✓	✓	✓	✓	✓				
				Size II	100907996	3WT98880LA00						✓	✓	✓	
38		Lamination Block/ Jaw Contact	up to 1250A	Size I	102052957		✓	✓	✓						
			1600A	Size I	102052958				✓	✓					
			2000A - 2500A	Size II	102052960						✓	✓			
			3200A	Size II	102052963								✓		
39		Arc Chute	630-1600A	Size I	101636522	3WT98110CA00	✓	✓	✓	✓	✓				
			2000-3200A	Size II	101614046	3WT98110FA00						✓	✓	✓	